



भारत सरकार
परमाणु ऊर्जा विभाग
निर्माण, सेवा एवं संपदा प्रबंध निदेशालय
आबंटन अनुभाग



विक्रम साराभाई भवन,
दूसरा तल , उत्तर स्कंध,
अणुशक्तिनगर,
मुंबई- 400 094.

सं.निसेसंप्रनि/1/3/2019-20/खंड II/स्था I/575

18 जुलाई ,2019

शुद्धिपत्र

पऊवि निवास संबंधी जागरूकता तथा आबंटन अनुसूची के दौरान हेल्प डेस्क फैसिलिटी की व्यवस्था करने से संबंधित निदेशालय द्वारा जारी दिनांक 11/07/19 के परिपत्र संख्या सं.निसेसंप्रनि/1/3/2019-20/खंड II/स्था I/570 का कृपया संदर्भ लें।

इस संबंध में यह सूचित किया जाता है कि हिंदी में जारी परिपत्र में कोई संशोधन नहीं है, उसे यथावत् पढा जाए। अंग्रेजी में जारी परिपत्र के चौथे अनुच्छेप में हुए संशोधन को निम्नवत पढा जाए :

"In view of the above, it may please be noted by all concerned that no representation from the employees end for missing allotment schedule on the grounds of unawareness of allotment procedure etc. of DAEniwas shall be entertained hereinafter."

Instead of

"In view of the above, it may be please be noted by all concerned that no representation from the employees end for missing allotment schedule on the grounds of unawareness of allotment procedure etc. of DAEniwas shall not be entertained hereinafter."

इस शुद्धिपत्र की सूचना सभी संबंधितों को दी जाए।

इसे सक्षम प्राधिकारी के अनुमोदन से जारी किया जाता है।

(ए. बनर्जी)
18/7/2019
(ए. बनर्जी)

प्रशासन अधिकारी-III (बी)

प्रतिलिपि

1. मुंबई स्थित पऊवि की यूनिटों के प्रशासनिक प्रधान.
2. निसेसंप्रनि वेबसाइट
3. निसेसंप्रनि के उपयोगकर्ता



भारत सरकार / Government of India
परमाणु ऊर्जा विभाग / Department of Atomic Energy
निर्माण, सेवा एवं संपदा प्रबंध निदेशालय
Directorate of Construction, Services & Estate Management
(आबंटन अनुभाग / Allotment Section)



विक्रम साराभाई भवन,
Vikram Sarabhai Bhavan,
दूसरा तल, उत्तर स्कंध,
2nd floor, North Wing,
Anushaktinagar/अणुशक्तिनगर,
मुंबई / Mumbai 400 094

Ref. No: DCSEM/1/3/2019-20/Vol. II/EI/575

18 July 2019

CORRIGENDUM

Reference is invited to the Circular No. DCSEM/1/3/2019-20/Vol. II/EI/570, dated 11.07.2019, issued by this Directorate regarding awareness on DAE Niwas and HELP DESK FACILITY being arranged during Allotment schedule.

In this connection, it is stated that the fourth para of the above mentioned Circular may please be read as under –

“In view of the above, it may please be noted by all concerned that no representation from the employees end for missing allotment schedule on the grounds of unawareness of allotment procedure etc. of DAEniwas shall be entertained hereinafter.”

Instead of -

“In view of the above, it may be please be noted by all concerned that no representation from the employees end for missing allotment schedule on the grounds of unawareness of allotment procedure etc. of DAEniwas shall not be entertained hereinafter.”

The contents of the Corrigendum may please be brought to the notice of all concerned.

This is issued with the approval of Competent Authority, DCSEM.


(A. Banerjee)
Administrative Officer – III

To,

1. Administrative Head of Units of DAE located in Mumbai.
2. DCSEM website
3. All users in DCSEM